



SIBO Positive Supplement Example Guide Weeks 5-8

Refer to respective bottles for daily supplement serving dosages and see Notes sections at bottom of page for other Practitioners recommendations. We cannot prescribe dosages.

We recommend you start your day with a 16 ounce glass of water or our Early Morning Alkalizing Drink.

If you tested SIBO positive, now is the time to switch up the antimicrobials. It's very important to rotate herbs every 4 weeks when eradicating bacterial overgrowth. Start taking the antimicrobials for weeks 5-8 as listed in the pdf in week 4 on Eradication and Re-Inoculation.

If you tested Positive for Parasites, now is the time to swap out GI Synergy for SCRAM or R.U.G. supplements and add in the Liver Rescue. Follow the dosage instructions on the bottles every day through weeks 5-8.

We recommend you take a biofilm disrupter in the morning alone with only electrolytes between breakfast and lunch.

We recommend you take any digestive support supplements right before meals (Ketozyme, Digestive Enzymes (& add in HCl w/ Pepsin with bigger meals - lunch & dinner)).

We recommend you take your antimicrobials with meals.

We recommend you take your probiotics in the afternoon separate from antimicrobials. Gradually add in a new probiotic each week. (If you ordered There-Biotic Factor 1 (Lactobacillus Rhamnosus) or any probiotics containing Lactobacillus Acidophilus, please wait until week 8 to introduce!)

Start taking Perfect Pass Prebiotic PHGG (Partially Hydrolyzed Guar Gum) with your probiotics.

We recommend you drink 3/4-1 gallon per day.



Example Day ONLY - SIBO Positive Weeks 5-8

Shortly After Waking:

We recommend Drinking our Early Morning Alkalizing Drink & Following Supplement:

Take w/ Breakfast Shake:

- Digestive Aids (Ketozyme, Digestive Enzymes)
- FC-Cidal*
- Dysbiocide*

Mid-Morning:

Previous Clients have Benefitted from Drinking 1 Quart of Spring Filtered Water and taking:

- Biofilm Disrupter
- Electrolytes

Take w/ Lunch:

- Digestive Aids (Ketozyme, Digestive Enzymes, HCl w/ Pepsin))
- Antimicrobials

Afternoon:

(Take w/ another Chocolate Breakfast Shake (if hungry))

- Electrolytes
- Probiotics: Gradually add in a new probiotic each week (if you ordered **Lactobacillus Rhamnosus**, please wait until week 8 to introduce as it contains inulin!)
- Start taking Perfect Pass Prebiotic PHGG (Partially Hydrolyzed Guar Gum) with your probiotics.

Dinner:

- Digestive Aids (Ketozyme, Digestive Enzymes, HCl w/ Pepsin)
- Antimicrobials (FC-Cidal*, Dysbiocide*)



!!! No eating 3 hours before bed !!!

Bentonite Clay

Before Bed: Mix 1/2 - 1 teaspoon of Bentonite Clay in about 4 ounces of water, mix vigorously with a fork (there will still be some clumps) and drink immediately! This pulls pathogenic bacterial die off out of your body safely and smoothly.

<https://wellnessmama.com/health/bentonite-clay/>

***The Multi-Center Team for Dr. Allison Siebecker use:**

2 herbal combination formulas together, at a dose of 2 caps 2 x day x 4 weeks, for each formula.

Biotics FC Cidal with Biotics Dysbiocide,

<https://www.siboinfo.com/herbal-antibiotics.html>

Research shows taking probiotics separate from antimicrobials may be best as the beneficial bacteria in the probiotics could be killed off by the antibacterial properties from the herbs, garlic, and peppermint essential oil etc in the recommended antibacterials etc.